


F	E	D	C	B	A	
FLUID DESCRIPTION	APPLICATION	MODEL	OVERALL LENGTH	O.D.	I.D.	D2
4	BEARING LUBE TURBINE LUBE, MINERAL OIL PHOSPHATE ESTER	PH720-01-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-03-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-05-CG	19 5/16"	6 1/4"	4 1/8"	
4	COOLANT MACHINE TOOL COOLANT	PH720-10-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-11-CG <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">D1</span>	19 5/16"	6 1/4"	4 1/8"	
4	CUTTING OIL CHIP WRINGER, SCREW MACHINES	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CGV	19 5/16"	6 1/4"	4 1/8"	
4	FUEL GAS DIESEL, TURBINE	PH720-16-CG	19 5/16"	6 1/4"	4 1/8"	
3	GAS COMPRESSOR COMPRESSOR LUBE	PH720-20-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-40-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-01-CGN	19 5/16"	6 1/4"	4 1/8"	
3	GEAR OIL GEAR BOX	PH720-01-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-01-CGN	19 5/16"	6 1/4"	4 1/8"	
		PH720-01-CGN	19 5/16"	6 1/4"	4 1/8"	
3	HEAT TRANSFER, SYNTHETIC, GLYCOL, SILICONE, FREON PH720-12-CG	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	HYDRAULIC OIL PH720-12-CG	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	LUBE OIL ENGINE, COMPRESSOR	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	NATURAL GAS FUEL	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	PHOSPHATE ESTERS TURBINE LUBE, HYDRAULIC	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	POLYGLYCOLS COMPRESSOR LUBE HEAT TRANSFER	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	POLYOL ESTERS AERODERIVATIVE TURBINE LUBE	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	QUENCH OIL HEAT TREAT QUENCHING	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
2	SILICONE OIL HEAT TRANSFER	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
1	VACUUM PUMP SEAL, LUBE OIL	PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	
		PH720-12-CG	19 5/16"	6 1/4"	4 1/8"	



MODEL	BETA RATIO & EFFICIENCY		O-RING MAT'L
	BETA=200 99.5%	BETA=1000 99.9%	
PH720-01-CG	15 MICRON	17 MICRON	NITRILE
PH720-03-CG	25 MICRON	27 MICRON	NITRILE
PH720-05-CG	41 MICRON	43 MICRON	NITRILE
PH720-10-CG	51 MICRON	53 MICRON	NITRILE
PH720-11-CG	10 MICRON	12 MICRON	NITRILE
PH720-12-CG	4 MICRON	6 MICRON	NITRILE
PH720-12-CGV	4 MICRON	6 MICRON	FLUOROCARBON
PH720-16-CG	2 MICRON	3 MICRON	NITRILE
PH720-20-CG	69 MICRON	74 MICRON	NITRILE
PH720-40-CG	100 MICRON	125 MICRON	NITRILE
PH720-01-CGN	15 MICRON	17 MICRON	NEOPRENE

- PHYSICAL CHARACTERISTICS:  
 1- CORROSION RESISTANT METAL END CAPS.  
 2- TIN PLATED CENTERTUBE. C  
 3- SYNTHETIC FILTER MEDIA PROTECTED ON BOTH SIDES BY EPOXY COATED SCREEN.  
 4- MAXIMUM OPERATING TEMPERATURE IS 250°F.  
 5- 100 PSI COLLAPSE STRENGTH.

THE INFORMATION AND DATA CONTAINED HEREIN CONFORMS TO ASME Y14.5-M 1994

REVISIONS			
REV	DESCRIPTION	BY	DATE
D1	PH720-11-CG ADDED		
D2	FILTERING AREA REMOVED REDRAWN FROM CADKEY	ROC	06/16/10
C	#2 WAS CORROSION RESIST. ECN: 05-200600036	ROC	02/27/06
B	BETA 1000 (01-CG) WAS 19 MICRONS	ROC	12/03/01
A	REDRAWN	DPM	05/12/99
LIR	DESCRIPTION	BY	DATE

**PRODUCTION**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE WITHOUT WRITTEN PERMISSION FROM THE HILLIARD CORP. © COPYRIGHT THE HILLIARD CORPORATION, ALL RIGHTS RESERVED.	UNLESS OTHERWISE SPECIFIED UNLESS OTHERWISE SPECIFIED UNLESS OTHERWISE SPECIFIED UNLESS OTHERWISE SPECIFIED	DRAWN: GF 06/27/95 CHECKED: GLF 06/27/95 APPROVED: JB 07/07/95 SIMILAR TO: SCALE: NONE	TITLE: PH720-**-CG PLEATED INDUSTRIAL CARTRIDGE SHEET 1 OF 1 DD-700-32 <b>C</b>
---	--	--	---